



XTS 5000 P25 PORTABLE RADIOS INTENT-TO-CANCEL NOTICE

OVERVIEW

The purpose of this notification is to inform ASTRO 25 Subscriber owners of a cancellation of the XTS 5000 portable radio models on November 30, 2013. It is recommended that last time purchases be considered at this time to cover anticipated or planned customer expansion and lifetime spare units.

XTS 5000 Last Order Entry: October 31, 2013

All XTS 5000 ECAT (Electronic Price Pages) will be pulled from visibility no later than the second week of November 2013.

XTS 5000 Last Customer Scheduled Ship Date: November 30, 2013

(Schaumburg factory (SCOG))

No customer ship dates will be scheduled after this date.

XTS 5000 Last Field Service 5 years Support to conclude: December 31, 2018

MODELS/ OPTIONS CANCELLATION ROLLOUT

LISTED BELOW ARE THE XTS 5000 MODELS* -

RADIO MODEL	FREQUENCY	WATT	DESCRIPTION	APC
H18KEC9PW5AN	VHF (136-174)	1-6 Watt	XTS 5000 MODEL I PORTABLE	320
H18KEF9PW6AN	VHF (136-174)	1-6 Watt	XTS 5000 MODEL II PORTABLE	320
H18KEH9PW7AN	VHF (136-174)	1-6 Watt	XTS 5000 MODEL III PORTABLE	320
H18QDC9PW5AN	UHFR1 (380-470)	1-5 Watt	XTS 5000 MODEL I PORTABLE	320
H18QDF9PW6AN	UHFR1 (380-470)	1-5 Watt	XTS 5000 MODEL II PORTABLE	320
H18QDH9PW7AN	UHFR1 (380-470)	1-5 Watt	XTS 5000 MODEL III PORTABLE	320
H18SDC9PW5AN	UHFR2 (450-520)	1-5 Watt	XTS 5000 MODEL I PORTABLE	320
H18SDF9PW6AN	UHFR2 (450-520)	1-5 Watt	XTS 5000 MODEL II PORTABLE	320
H18SDH9PW7AN	UHFR2 (450-520)	1-5 Watt	XTS 5000 MODEL III PORTABLE	320
H18UCC9PW5AN	7/8 (764-870)	1-3 Watt	XTS 5000 MODEL I PORTABLE	721
H18UCF9PW6AN	7/8 (764-870)	1-3 Watt	XTS 5000 MODEL II PORTABLE	721
H18UCH9PW7AN	7/8 (764-870)	1-3 Watt	XTS 5000 MODEL III PORTABLE	721

*Including "R" Rugged XTS 5000
Portable Radio Models

NOTE: There is no dedicated
accessory APC for this product, or
Government Services Administration
(GSA) requirements. There are no
accessories being cancelled with
this Intent to Cancel.

REPLACEMENT PRODUCT

The APX 7000 will replace the XTS 5000 and is currently available for order. This premier portable is equipped with leading technology for the most demanding conditions and is ideal for agencies requiring multiband interoperability and future expandability. Another alternative replacement solution to the XTS 5000 is the APX 6000 which is also currently available for order. The APX 6000 is the smallest full featured single-band P25 phase 2 capable portable radio advanced with voice and data technology.

Note: APX7000XE or APX6000XE are replacement solutions for "R" Rugged XTS 5000 Portable Radio Models

LISTED BELOW ARE THE APX 7000 MODELS -

RADIO MODEL	FREQUENCY	WATT	DESCRIPTION	APC
H97TGD9PW1AN	QA00569; 700/800 Primary Band QA00570; VHF Primary Band QA00571; UHFR1 Primary Band QA00572; UHFR2 Primary Band QA00573; 700/800 Secondary Band QA00574; VHF Secondary Band QA00575; UHFR1 Secondary Band QA00576; UHFR2 Secondary Band	NA	APX 7000 MODEL 1.5 PORTABLE	655
	VHF (136-174), 7/8 (764-870)	1-5W, 1-2.5W, 1-3W	NA	
	UHFR1 (380-470), 7/8 (764-870)	1-5W, 1-2.5W, 1-3W	NA	
	UHFR1 (380-470), VHF (136-174)	1-5W, 1-6W	NA	
	UHFR2 (450-520), 7/8 (764-870)	1-5W, 1-2.5W, 1-3W	NA	
	UHFR2 (450-520), VHF (136-174)	1-5W, 1-6W	NA	
	UHFR1 (380-470), UHFR2 (450-520)	1-5W, 1-5W	NA	
H97TGD9PW1AN + QA00577	NA	NA	APX 7000 MODEL 3.5 PORTABLE	655
H97TGD9PW1AN + QA00579	NA	NA	Enable Dual Band	655

LISTED BELOW ARE THE APX 6000 MODELS -

RADIO MODEL	FREQUENCY	WATT	DESCRIPTION	APC
H98KGD9PW5AN	VHF (136-174)	1-6 Watt	APX 6000 MODEL I PORTABLE	481
H98KGF9PW6AN	VHF (136-174)	1-6 Watt	APX 6000 MODEL II PORTABLE	481
H98KGH9PW7AN	VHF (136-174)	1-6 Watt	APX 6000 MODEL III PORTABLE	481
H98QDD9PW5AN	UHFR1 (380-470)	1-5 Watt	APX 6000 MODEL I PORTABLE	481
H98QDF9PW6AN	UHFR1 (380-470)	1-5 Watt	APX 6000 MODEL II PORTABLE	481
H98QDH9PW7AN	UHFR1 (380-470)	1-5 Watt	APX 6000 MODEL III PORTABLE	481
H98SDD9PW5AN	UHFR2 (450-520)	1-5 Watt	APX 6000 MODEL I PORTABLE	481
H98SDF9PW6AN	UHFR2 (450-520)	1-5 Watt	APX 6000 MODEL II PORTABLE	481
H98SDH9PW7AN	UHFR2 (450-520)	1-5 Watt	APX 6000 MODEL III PORTABLE	481
H98UCD9PW5AN	7/8 (764-870)	1-3 Watt	APX 6000 MODEL I PORTABLE	481
H98UCF9PW6AN	7/8 (764-870)	1-3 Watt	APX 6000 MODEL II PORTABLE	481
H98UCH9PW7AN	7/8 (764-870)	1-3 Watt	APX 6000 MODEL III PORTABLE	481

INTENT-TO-CANCEL NOTICE
XTS 5000 MODELS

SERVICE IMPLICATIONS OF CANCELLATION

Aftermarket Product support will be available for XTS 5000 radios via commercially reasonable efforts up to 12/31/2018 through Customer Fulfillment Centers (CFC).

CONTACT INFORMATION

If you have specific questions regarding this notification, please contact -

TERRITORY	CONTACT	PHONE	E-MAIL
T1 - Canada	Patricia Capparelli	954-723-6678	patriciacapparelli@motorolasolutions.com
2 & 3	Jeff Ashton	954-723-3809	jeff.ashton@motorolasolutions.com
4	Danny Sanchez	954-723-3238	danielsanchez@motorolasolutions.com
5	Renata Sardenberg	954-723-4072	rsardenberg@motorolasolutions.com
6 & 7	Michael Costa	954-723-8767	michael.n.costa@motorolasolutions.com
8	Ray Melendez	954-723-3970	r.melendez@motorolasolutions.com
Large Projects	Dax Lopez	954-723-8933	dax.lopez@motorolasolutions.com
Federal Manager	John Ruddy	954-723-3813	ejr003@motorolasolutions.com
State & Local Manager	Janelle Lopez	954-723-8184	janellelopez@motorolasolutions.com

MOTOROLA SOLUTIONS CUSTOMER FULFILLMENT CENTER

In the US and Canada, call 1-800-422-4210

In Latin America, Asia, Middle East, and Europe, call 1-847-538-8023

Federal Inquiries, call 1-800-826-1913

Motorola Solutions, Inc. 1301 E. Algonquin Road, Schaumburg, Illinois 60196 U.S.A. www.motorolasolutions.com

MOTOROLA, MOTOROLA SOLUTIONS, and the stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © Motorola Solutions, Inc. 2013



INTERNAL USE ONLY. NOT FOR DISTRIBUTION.