



*Alaska Land Mobile Radio Communications System  
System Vulnerability Management Procedure 400-6*



**ALASKA LAND MOBILE RADIO**

# **Alaska Land Mobile Radio Communications System**

## **System Vulnerability Management Procedure 400-6**

**Version 16**

December 11, 2024



## **Table of Contents**

<b>Document Revision History .....</b>	<b>3</b>
<b>Acronyms and Definitions.....</b>	<b>4</b>
<b>1.0 Purpose .....</b>	<b>1</b>
<b>2.0 Roles and Responsibilities .....</b>	<b>1</b>
<b>2.1 Executive Council .....</b>	<b>1</b>
<b>2.2 User Council.....</b>	<b>1</b>
<b>2.3 Information Systems Security Manager .....</b>	<b>1</b>
<b>2.4 System Management Office .....</b>	<b>2</b>
<b>2.5 System Technologists .....</b>	<b>2</b>
<b>3.0 Vulnerability Assessments .....</b>	<b>2</b>
<b>3.1 Frequency .....</b>	<b>2</b>
<b>3.2 Report .....</b>	<b>2</b>
<b>3.3 Review .....</b>	<b>2</b>
<b>4.0 Updates and Patches.....</b>	<b>2</b>
<b>4.1 Automated Updates .....</b>	<b>2</b>
<b>4.2 Documentation .....</b>	<b>3</b>
<b>5.0 System Configuration Management .....</b>	<b>3</b>
<b>5.1 System Configuration Library .....</b>	<b>3</b>
<b>5.2 Replacement/New Hardware Configuration .....</b>	<b>3</b>
<b>6.0 Vulnerability Remediation .....</b>	<b>3</b>
<b>6.1 Remediation Prioritization .....</b>	<b>3</b>
<b>6.2 Remediation Schedule.....</b>	<b>4</b>
<b>7.0 Compliance .....</b>	<b>4</b>



## Document Revision History

<b>Date</b>	<b>Reason for Changes</b>	<b>Version</b>
5/4/2009	Approved by the User Council – Final.	1
5/24/1010	Annual review/update. Approved by the User Council – Final.	2
5/26/2011	Annual review/update. Approved by the User Council – final.	3
8/1/2012	Annual review/update. Approved by the User Council – final.	4
7/8/2013	Annual review/update. Approved by the Operations Management Office - final.	5
7/29/2014	Annual review/update. Approved by the Operations Management Office - final.	6
8/3/2015	Annual review/update. Approved by the Operations Management Office - final.	7
10/11/2016	Annual review. Approved by the Operations Management Office - final.	8
12/14/2017	Annual review. Approved by the Operations Management Office - final.	9
12/27/2018	Annual review. Approved by the Operations Management Office - final.	10
12/23/2019	Annual review. Approved by the Operations Management Office - final.	11
12/29/2020	Annual review. Approved by the Operations Management Office - final.	12
12/23/2021	Annual review. Approved by the Operations Management Office - final.	13
12/8/2022	Annual review. Approved by the Operations Management Office – final.	14
12/12/2023	Annual review/update. Approved by the Operations Management Office – final.	15
12/9/2024	Annual review/update. Approved by the Operations Management, System Management, and Security Manager Offices – final.	16



## **Acronyms and Definitions**

**Alaska Federal Executive Association (AFEA):** federal government entities, agencies, and organizations, other than the Department of Defense, that operate on the shared ALMR system infrastructure.

**Alaska Land Mobile Radio (ALMR) Communications System:** the ALMR Communications System, as established in the Cooperative and Mutual Aid Agreement.

**Alaska Municipal League:** a voluntary non-profit organization in Alaska that represents 165 cities, boroughs, and unified municipalities.

**Alaska Public Safety Communication Services (APSCS):** a State of Alaska (SOA) office in the Department of Public Safety (DPS) that operates and maintains the SOA Telecommunications System (SATS) supporting ALMR and provides public safety communication services and support to state agencies.

**Cybersecurity:** prevention of damage to, protection of, and restoration of computers, electronic communications systems, electronic communications services, wire communication, and electronic communication, including information contained therein, to ensure its availability, integrity, authentication, confidentiality, and nonrepudiation.

**Defense Information Systems Agency (DISA):** is a combat support agency responsible for planning, engineering, acquiring, fielding, and supporting global net-centric solutions to serve the needs of the President, Vice President, the Secretary of Defense, and other DoD Components, under all conditions of peace and war.

**Department of Defense (DoD)– Alaska:** Alaskan Command, US Air Force, and US Army component services operating under United States Pacific Command and United States Northern Command.

**Department of Public Safety (DPS):** a State of Alaska (SOA) department where the SOA Telecommunications System (SATS) and ALMR programs reside.

**Enterprise Mission Assurance Support Service (eMASS):** a government owned web-based application with a broad range of services for comprehensive fully integrated cybersecurity management.

**Executive Council:** governing body made up of three voting members and two associate members representing the original four constituency groups: the State of Alaska, the Department of Defense, Federal Non-DoD agencies (represented by the Alaska Federal Executive Association), and local municipal/government (represented by the Alaska Municipal League and the Municipality of Anchorage).



## *Alaska Land Mobile Radio Communications System System Vulnerability Management Procedure 400-6*

**Information Assurance (IA):** information operations that protect and defend information and information systems by ensuring their availability, integrity, authentication, confidentiality, and non-repudiation. This includes providing for restoration of information systems by incorporating protection, detection, and reaction capabilities.

**Information Assurance Vulnerability Alert (IAVA):** notification that is generated when an Information Assurance Vulnerability may result in an immediate and potentially severe threat to DoD systems and information; this alert requires corrective action because of the severity of the vulnerability risk.

**Information Systems Security Manager (ISSM):** the individual responsible for establishing and maintaining security controls that ensure the availability, confidentiality, and integrity of the ALMR system under the Risk Management Framework (RMF).

**Local Governments:** those Alaska political subdivisions defined as municipalities in AS 29.71.800(14).

**Member:** a public safety agency including, but not limited to, a general government agency (local, state, tribal, or federal), its authorized employees and personnel (paid or volunteer), and its service provider, participating in and using the system under a membership agreement.

**Municipality of Anchorage (MOA):** the MOA covers 1,951 square miles with a population of 300,000 plus. The MOA stretches from Portage, at the southern border, to the Knik River at the northern border, and encompasses the communities of Girdwood, Indian, Anchorage, Eagle River, Chugiak/Birchwood, and the native village of Eklutna.

**Plan of Action and Milestones (POA&M):** a document that identifies tasks needing to be accomplished regarding non-compliant security controls. It details resources required to accomplish the elements of the plan, any milestones in meeting the tasks, and scheduled completion dates for the milestones. The POA&M is recorded in eMASS.

**Risk Management Framework (RMF) for DoD Information Technology (IT):** a structured approach used to oversee and manage risk for an enterprise. The program and supporting processes manage information security risk to organizational operations (including mission, functions, image, and reputation), organizational assets, individuals, other organizations, and the Nation, and includes: (1) establishing the context for risk-related activities; (2) assessing risk; (3) responding to risk once determined; and (4) monitoring risk over time. The program requires the completion of the Assessment and Authorization (A&A), formerly Certification and Accreditation (C&A), process which results in an Authorization Decision (AD). The system must be reauthorized no later than every three (3) years.



## *Alaska Land Mobile Radio Communications System System Vulnerability Management Procedure 400-6*

**Security Technical Implementation Guide (STIG):** an implementation guide, based on Department of Defense (DoD) policy and security controls, geared to a specific product and version. Contains all requirements that have been flagged as applicable for the product which have been selected on a DoD baseline.

**State of Alaska (SOA):** the primary maintainer of the State's infrastructure system, and shared owner of the system. The State of Alaska sponsors local/municipal agencies onto the system.

**System Management Office (SMO):** the team of specialists responsible for management of maintenance and operations of the system.

**User:** an agency, person, group, organization, or other entity which has an existing written membership agreement to operate on ALMR with one of the parties to the Cooperative and Mutual Aid Agreement. The terms user and member are synonymous and interchangeable. All terms and conditions of the Cooperative and Mutual Aid agreement defined apply to local/municipal government agencies that are sponsored/represented by the State of Alaska.

**User Council:** governing body responsible for recommending all operational and maintenance decisions affecting the system. Under the direction and supervision of the Executive Council, the User Council has the responsibility for management, oversight, and operation of the system. The User Council oversees the development of system operations plans, procedures, and policies.



## **1.0 Purpose**

This policy applies to all System Management Office (SMO) employees, contractors, subcontractors, consultants, temporary employees, and other personnel assigned to, or utilizing, the Alaska Land Mobile Radio (ALMR) Communications System.

To ensure the proper level of system integrity and availability is maintained, a regular assessment of ALMR systems shall be performed. This assessment will identify configuration vulnerabilities in the ALMR system and shall be used to dictate system vulnerability mitigation efforts.

## **2.0 Roles and Responsibilities**

### **2.1 Executive Council**

The Executive Council (EC) shall be responsible for the management and enforcement of sanctions when violations of the System Vulnerability Management Procedure warrant such action.

### **2.2 User Council**

The User Council (UC) shall be responsible for the formal approval of the System Vulnerability Management Procedure, and any substantial revisions hereafter.

### **2.3 Information Systems Security Manager**

The Information Systems Security Manager (ISSM):

- Ensures this System Vulnerability Management Procedure sufficiently meets or exceeds the requirements for security standards based on a system with a security impact of Moderate Confidentiality, Moderate Integrity, and Moderate Availability.
- Regularly reviews and updates this procedure to ensure that all vulnerability management needs are documented and met.
- Oversees the implementation of approved system configurations, as well as updates and patches.
- Performs vulnerability assessments using approved third-party tools in accordance with the vulnerability assessment schedule.
- Ensures network assessments are performed and includes the appropriate vulnerability checks for all systems that comprise the ALMR network.



## **2.4 System Management Office**

2.4.1 The System Management Office (SMO) coordinates with System Technologists and the ISSM to ensure that all required technical resources needed for regular vulnerability assessments and mitigation are available and implemented.

2.4.2 The SMO maintains a system configuration library which details all ALMR information system configurations.

## **2.5 System Technologists**

All System Technologists shall aid in the completion of vulnerability assessments, maintenance of a system configuration library and the mitigation of identified vulnerabilities.

## **3.0 Vulnerability Assessments**

### **3.1 Frequency**

A network Vulnerability Assessment shall be performed by the ISSM at least monthly. Assessment results must provide Information Assurance Vulnerability Alert (IAVA) compliant assessments. These assessments ensure any vulnerabilities found are addressed to ensure IAVA compliance for all ALMR network components.

### **3.2 Report**

The ISSM shall provide a report detailing the results of the monthly vulnerability assessment scan to the Operations Manager on a quarterly basis. This report shall include, at a minimum:

- Detailed description of all vulnerabilities found.
- Assessment of system impact for each vulnerability.
- Recommended mitigation procedures.

### **3.3 Review**

The Operations Manager shall review the Vulnerability Assessment Reports to ensure proper attention is being given to ALMR system vulnerability mitigation.

## **4.0 Updates and Patches**

### **4.1 Automated Updates**

4.1.1 Automated update procedures should be used when available and appropriate.





4.1.2 Updates/patches to major system components should be preceded by a system backup. When system resources permit, updates/patches should be installed on a test system and monitored for undesirable results before being implemented in the production environment. (**NOTE:** This will typically be performed by the system manufacturer.)

## **4.2 Documentation**

4.2.1 The SMO shall, maintain a system configuration library (System Disk), have access to documentation of current versions and patches applied on all software/hardware components of the ALMR system.

4.2.2 This document shall be used as the minimum version level requirement for new information systems that are to be connected to the system network.

## **5.0 System Configuration Management**

### **5.1 System Configuration Library**

The SMO shall maintain a detailed library of configuration instructions for all ALMR information systems (System Disk). The maintenance of this library should be a collective effort of all ALMR System Technologists, the System Manager, ISSM, and the system manufacturer (Motorola™).

### **5.2 Replacement/New Hardware Configuration**

Detailed instructions describing the process to configure replacement or new hardware. These instructions shall be followed during system replacement/installation to preclude the introduction of vulnerabilities through improper system configuration. The system manufacturer (Motorola™) maintains current versions of these documents for various system release versions.

## **6.0 Vulnerability Remediation**

Remediation of network vulnerabilities found on the ALMR system should be performed in accordance with Defense Information Systems Agency (DISA) Security Technical Implementation Guides (STIGs), Information Assurance Vulnerability (IAV) bulletins, and industry standards. Third party tools and workarounds used to remediate vulnerabilities should be avoided unless their use is specifically recommended by DISA STIGs, IAV bulletins, or industry standards.

### **6.1 Remediation Prioritization**

The ALMR system has two priority levels for vulnerability remediation, as defined by the ISSM.



## *Alaska Land Mobile Radio Communications System System Vulnerability Management Procedure 400-6*

6.1.1 Level 1 Vulnerabilities. Vulnerabilities with a prioritization of Level 1 are vulnerabilities classified as 'High' or 'Medium' and found on ALMR components that physically reside in one of the following locations:

- Zone 1 Master Site
- Zone 2 Master Site
- All remote repeater sites

6.1.2 Level 2 Vulnerabilities. Vulnerabilities with a prioritization of Level 2 are vulnerabilities classified as 'Low' and found on ALMR components that physically reside in one of the following locations:

- Zone 1 Master Site
- Zone 2 Master Site
- All remote repeater sites
- Any user-controlled system (console, KMF PC, KMF server, etc.)

## **6.2 Remediation Schedule**

### 6.2.1 Level 1 Vulnerabilities

All Level 1 vulnerabilities should be mitigated within 30 days of discovery. In the event a Level 1 vulnerability cannot be mitigated within the 30-day limit, the ISSM shall ensure a detailed mitigation report is included in the Vulnerability Assessment Report provided to the Operations Manager. The ISSM will also create a system Plan of Action and Milestones (POA&M) for any vulnerabilities that cannot be remediated immediately.

### 6.2.2 Level 2 Vulnerabilities

All Level 2 vulnerabilities should be mitigated within 90 days of discovery. In the event a Level 2 vulnerability cannot be mitigated within the 90-day limit, the ISSM shall ensure a detailed mitigation report is included in the Vulnerability Assessment Report provided to the Operations Manager. The ISSM will also create a system POA&M for any vulnerabilities that cannot be remediated immediately.

## **7.0 Compliance**

Compliance with the System Vulnerability Management Procedure is outlined in ALMR System Vulnerability Management Policy Memorandum 400-6.